



SEATS & BELTS

Image below features seat HTL1296 (Page 5)



Call 01432 373350

Email info@htsspares.com

Web www.htsspares.com

P2 Dumper Pan Seat

Part no. HTL0146




Features

P2 pan seat - the original "Dumper Seat". Heavy duty vinyl trim.



Seat width
490mm

Dimensions



Kubota K008-3 / U10-3 Seat

Part no. HTL0147



Features

Kubota excavator seat. Hinged on the front.

Fits

K008, K008-3 & U10-3

OEM Number


RA011-3820-3

RP301-3810-2



Seat width
490mm

Dimensions



Pan Seat Mi600

Part no. HTL2032 (Black)

Part no. HTL2033 (Yellow)



Features


One piece foam seat with drainage. Water and weather proof. Double cushioning for superior comfort. Heavy duty vinyl trim.



Seat width
480mm

Available in Black (HTL2032) and Yellow (HTL2033)

Dimensions



Wrap Around Suspension Seat

Part no. HTL0145



Features

Heavy duty suspension seat. Ideal for older type plant & machinery. Comes with seat belt fixing points. Heavy duty PVC.



Seat width
485mm



Mechanical suspension
Suspension travel 80mm




Weight adjustment
50-120kg



Slide rail travel
150mm

Dimensions



Replacements

HTL0144 - Replacement base cushion

GS12 Plant Seat With Adjustable Backrest

Part no. HTL0170



Features

The GS12's heavy duty build makes it an ideal option for excavators, dumpers, forklifts and small vehicles. Seat belt fixing points. Heavy duty PVC trim.



Seat width
490mm



Mechanical suspension
Suspension travel 40mm



Weight adjustment
60-120kg




Slide rail travel
150mm



Backrest angle adjustment

Dimensions



Replacements

HTL0171 - Replacement base cushion

HTL0202 - Switched version (see over page)

GS12 Plant Seat With Adjustable Backrest & Seat Switch

Part no. HTL0202



Features

The GS12's heavy duty build makes it a perfect choice for construction plant equipment of all types. Comes with seat pressure switch. Seat belt fixing points. Heavy duty PVC trim.



Seat width
490mm



Mechanical suspension
Suspension travel 40mm



Weight adjustment
60-120kg




Slide rail travel
150mm



Backrest angle adjustment

Dimensions



Replacements

HTL0171 - Replacement base cushion

US20 Plant Seat With Contact Switch

Part no. HTL1297



Features

Heavy Duty PVC seat with adjustable width slide rails. The new replacement for the popular GS12 seat. Comes with Contact switch. Heavy duty PVC trim.



Seat width
480mm



Mechanical suspension
Suspension travel 40mm



Weight adjustment
60-120kg




Adjustable slide rail travel
150-328mm



Backrest angle adjustment

Dimensions



MGV25 Suspension Seat with Belt

Part no. HTL0169



Features

Suitable for forklifts, rollers and general construction machinery. Features adjustable suspension. Heavy duty PVC.



Seat width
500mm



Mechanical suspension
Suspension travel 50mm



Weight adjustment
50-120kg




Slide rail travel
150mm



Backrest foldable and adjustable

Dimensions



MGV35 Suspension Seat

Part no. HTL1296

Featured on the front cover



Features

Compact suspension seat. Ideally suited for construction, agricultural and forklift machinery. Multi adjustable mounting plate. Comes complete with integrated seat belt. Heavy duty PVC.



Seat width
460mm



Mechanical suspension
Suspension travel 80mm



Weight adjustment
50-150kg




Slide rail travel
180mm



Backrest foldable and adjustable

Dimensions



Replacements

HTL0144 - Replacement base cushion

CS85/H90 Plant Seat - Vinyl

Part no. HTL0173



Features

Ideal for construction machines and equipment and also fork lifts and other machinery where the seat is exposed to rain. Hard wearing vinyl trim.



Seat width
490mm



Mechanical suspension
Suspension travel 90mm



Weight adjustment
50-125kg



Slide rail travel
150mm




Backrest foldable and adjustable

Replacements

HTL2036 - Arm rest (Left hand)
HTL2037 - Arm rest (Right hand)

Dimensions



**BEST
SELLER**

CS85/H90 Plant Seat - Cloth

Part no. HTL0175



Features

Ideal for construction machines and equipment especially excavators and dumpers. This cloth version gives the highest levels of user comfort. High quality cloth trim.



Seat width
490mm



Mechanical suspension
Suspension travel 90mm



Weight adjustment
50-125kg



Slide rail travel
150mm




Backrest foldable and adjustable

Replacements

HTL2036 - Arm rest (Left hand)
HTL2037 - Arm rest (Right hand)

Dimensions



**BEST
SELLER**

CS85/C1AR Deluxe Seat With Arm Rests & Headrest

Part no. HTL0024



Features

The premium edition in the CS85 range and is best suited for applications where long periods of use are common. Comes with arm rests, a headrest and lumbar support. Fabric trim.



Seat width
510mm



Mechanical suspension
Suspension travel 90mm



Weight adjustment
50-125kg




Slide rail travel
150mm



Backrest angle adjustment

Dimensions



NEW

MGV25/C5 Low Profile Cloth Seat

Part no. HTL0083



Features

With it's low back and compact suspension unit the MGV25 C5 is suitable for all types of fork lifts and construction site machinery. Fabric trim.



Seat width
460mm



Mechanical suspension
Suspension travel 45mm



Weight adjustment
50-130kg




Slide rail travel
150mm



Backrest angle adjustment

Dimensions



MGV25 C5 Suspension Seat With Arm Rests, Seat Belt & Seat Switch

Part no. HTL0043



Features

The GS12's heavy duty build makes it a perfect choice for construction plant equipment of all types. PVC trim.



Seat width
460mm



Mechanical suspension
Suspension travel 45mm



Weight adjustment
50-130kg




Slide rail travel
150mm



Backrest angle adjustment

Dimensions



MGV84 C1 SM Seat (Narrow)

Part no. HTL0038



Features

Narrow profile mechanical suspension seat. Ideal for applications where space is an issue. Cloth trim.



Seat width
490mm



Mechanical suspension
Suspension travel 100mm



Weight adjustment
50-120kg




Slide rail travel
150mm



Backrest angle adjustment

Dimensions



MGV55 Suspension Seat With Belt, Arm Rests & Contact Switch

Part no. HTL1299



Features

The high back and heavy duty PVC/Vinyl material makes this a perfect seat for larger machines operating in harsh environments. Comes with seat belt and contact switch.



Seat width
490mm



Mechanical suspension
Suspension travel 80mm



Weight adjustment
50-150kg




Slide rail travel
180mm



Backrest foldable and adjustable


Dimensions



NEW

Seat Runners

Part no. HTL0166



Steel seat runners to fit HTL0146 seat. Sold in pairs.

Seat Pressure Switch 2 Wire

Part no. HTL0174



Seat pressure switch. Isolator switch 2 wire.

Seat Switch Kit

Part no. HTL1360



Genuine Gramma seat switch. Comes with mounting kit.

CS85 Seat Base Suspension - Mechanical

Part no. HTL2034



Weight adjustment 50-125kg. Suspension travel 90mm. Height adjustment 60mm (3 stages). Slide rail travel 150mm.

MG25 Seat Base Suspension - Mechanical

Part no. HTL2035



Weight adjustment 50-130kg. Suspension travel 45mm. Slide rail travel 150mm.

CS85 Seat Arm Rests

Part no. HTL2036 (L/Hand)
Part no. HTL2037 (R/Hand)



Premium arm rests to suit the CS85 range of seats.

Static Seat Belt (No Switch)

HTL0172



**BEST
SELLER**

Length up to 123cm including buckle. Buckle on webbing 22cm. 2"/47mm wide static lap belt. Belt length adjusted manually to suit occupant. E-Approved.

Retractable Seat Belt (No Switch)


HTL0176



Length up to 127cm including buckle. Buckle on Metal Strap 15cm. 2"/47mm wide. Automatic Locking Retractor (ALR) for mounting at any angle. Locks when belt is put around the wearer. Retracts into sealed unit when not in use. E-Approved.

Retractable ALR Seat Belt With Extra Wide 3" Webbing (No Switch)

HTL0394



Length up to 138cm including buckle. Buckle on metal strap 15cm. 3"/72mm extra wide webbing. Automatic Locking Retractor (ALR) for mounting at any angle. Locks when the lap belt is put around the wearer. Retracts into a sealed unit when not in use.

Retractable Seat Belt With Microswitch

HTL0397



Length up to 127cm including buckle. Buckle on Metal Strap 15cm with integral microswitch. 2"/47mm wide. Automatic Locking Retractor (ALR) for mounting at any angle. ALR locks when the lap belt is put around the wearer. Retracts into sealed unit when not in use. Micro switch for 'Wearing check / Vehicle Immobilisation Capability'.

Seat Belt Expanding Retractable Black Belt

HTL0735



Length up to 144cm including buckle with controlled operator movement. Buckle on Gaiter 25cm (elastic contracted - can extend by 5cm). 2"/47mm wide. Automatic Locking Retractor (ALR) for mounting at any angle. ALR locks when the lap belt is put around the wearer. Retracts into sealed unit when not in use. Microswitch for wearing check / Vehicle immobilisation capacity. Switch rated at 2 amp must use a relay in-line.

How safe are your operators?

The GBS-i is the most convenient green beacon system. Everything is encased in a 'plug & play' control box so installation is a breeze.

Combining innovation and technology, the plug & play device will ensure your machine operators are safer than ever.

Search 'GBS-i' at www.htsspares.com



Static Seat Belt With Switch

HTL0280



Length up to 120cm including buckle. Buckle on metal strap 10cm. 2"/47mm wide. Micro switch for wearing check/vehicle immobilisation capability. Switch rating: 12 volt=2amp. 24 volt=1amp. 45 volt=0.5amp. Comes with all fixings.

Retractable Seat Belt With Switch

HTL0399



Length up to 127cm including buckle. Buckle on Metal Strap 15cm. 2"/47mm wide. Automatic Locking Retractor (ALR) for mounting at any angle. ALR locks when the lap belt is put around the wearer. Retracts into sealed unit when not in use. Micro switch for wearing check/vehicle immobilisation capability.

**BEST
SELLER**

Retractable Seat Belt With Mechanical Release Switch

HTL1167



Orange, retractable seat belt complete with switch. A mechanical release switch prevents the belt over-tightening during use. High visibility - often used in conjunction with lighting beacon to enforce seat belt is worn by operator.

Retractable Seat Belt With Microswitch

HTL1878



Length up to 127cm including buckle. Buckle on Metal Strap 15cm. 2"/47mm wide. Automatic Locking Retractor (ALR) for mounting at any angle. ALR locks when the lap belt is put around the wearer. Retracts into sealed unit when not in use. Micro switch for 'Wearing check / Vehicle Immobilisation Capability'.

Seat Belt Extension 435mm

HTL2010



432mm long seat belt extension to suit our range of plant lap belts. 50mm Orange webbing. Extends the existing lap belt by 432mm. British made.

**Order before
3.30pm for
next day delivery!***

We offer next day delivery as standard on all stocked items going to UK addresses.



Call 01432 373350

Email info@htsspares.com

Web www.htsspares.com