

SECTION 1: Identification of the substance/mixture and of the company/undertaking 1.1. Product identifier Product name K42EP Product number 7942 Internal identification GHS21808 1.2. Relevant identified uses of the substance or mixture and uses advised against Identified uses Lubricating grease. 1.3. Details of the supplier of the safety data sheet Supplier Morris Lubricants **Castle Foregate** Shrewsbury SY1 2EL 08.45 - 17.00 GMT T: (+44)(0)1743 232200 F: (+44)(0)1743 353584 sds@morris-lubricants.co.uk 1.4. Emergency telephone number **Emergency telephone** +44 (0)1743 232200 (08.45 - 17.00 hrs GMT) **SECTION 2: Hazards identification** 2.1. Classification of the substance or mixture Classification Physical hazards Not Classified Health hazards Not Classified Environmental hazards Not Classified Classification (67/548/EEC or -1999/45/EC) 2.2. Label elements Hazard statements NC Not Classified 2.3. Other hazards SECTION 3: Composition/information on ingredients

3.2. Mixtures

Revision: 1

K42EP

Phosphorodithioic acid, mixe Pr)esters, Zinc salts	d O,O-bis(2-ethylhexyl and iso-	1-5%
CAS number: —	EC number: 272-723-1	REACH registration number: 01- 2119493633-31
Classification Skin Irrit. 2 - H315 Eye Irrit. 2 - H319 Aquatic Chronic 2 - H411	Classificati Xi;R36/38.	on (67/548/EEC or 1999/45/EC) N;R51/53.
The Full Text for all R-Phrases	s and Hazard Statements are Displayed in Se	ection 16.
Composition comments	The data shown are in accordance with the	e latest EC Directives.
SECTION 4: First aid measure	95	
4.1. Description of first aid me	asures	
General information	Get medical attention if any discomfort con	tinues.
Ingestion	Do not induce vomiting. Get medical attent	ion if any discomfort continues.
Skin contact	Remove contaminated clothing immediately	y and wash skin with soap and water.
Eye contact		move any contact lenses and open eyelids wide utes. Get medical attention promptly if symptoms
4.2. Most important symptoms	and effects, both acute and delayed	
4.3. Indication of any immedia	te medical attention and special treatment ne	eeded
SECTION 5: Firefighting meas	sures	
5.1. Extinguishing media		
Suitable extinguishing media	Extinguish with foam, carbon dioxide, dry p	oowder or water fog.
5.2. Special hazards arising fr	om the substance or mixture	
Specific hazards	Toxic gases or vapours. Heat from fire cou	ld result in drums bursting
5.3. Advice for firefighters Protective actions during	Control run-off water by containing and kee	aning it out of sewers and watercourses
firefighting		
Special protective equipment for firefighters	Wear self-contained breathing apparatus.	
SECTION 6: Accidental releas	e measures	
6.1. Personal precautions, pro	tective equipment and emergency procedure	35
Personal precautions	For personal protection, see Section 8. In c surfaces.	case of spills, beware of slippery floors and
6.2. Environmental precaution	S	
Environmental precautions	Avoid release to the environment.	
6.3. Methods and material for	containment and cleaning up	
Methods for cleaning up	Collect spillage for reclamation or disposal	

contractor. Avoid water contacting spilled material or leaking containers.

K42EP

6.4. Reference to other sections

6.4. Reference to other section	
SECTION 7: Handling and storage	
7.1. Precautions for safe handling	
Usage precautions	Avoid spilling. Avoid contact with skin and eyes. Always remove oil with soap and water or skin cleaning agent, never use organic solvents. Do not use oil-contaminated clothing or shoes, and do not put rags moistened with oil into pockets.
7.2. Conditions for safe stora	age, including any incompatibilities
Storage precautions	Store in tightly-closed, original container in a dry, cool and well-ventilated place.
Storage class	Miscellaneous hazardous material storage.
7.3. Specific end use(s)	
SECTION 8: Exposure Contr	ols/personal protection
8.1. Control parameters	
8.2. Exposure controls	
Protective equipment	
Eye/face protection	Eyewear complying with an approved standard should be worn if a risk assessment indicates eye contact is possible. The following protection should be worn: Chemical splash goggles or face shield.
Hand protection	It is recommended that gloves are made of the following material: Polyvinyl chloride (PVC).
Other skin and body protection	Use barrier creams to prevent skin contact.
Hygiene measures	Wash promptly with soap and water if skin becomes contaminated.
Respiratory protection	No specific recommendations. Respiratory protection must be used if the airborne contamination exceeds the recommended occupational exposure limit.
SECTION 9: Physical and Chemical Properties	
9.1. Information on basic physical and chemical properties	
Appearance	Grease.

SECTION 10: Stability and reactivity		
9.2. Other information		
Auto-ignition temperature	>200°C	
Solubility(ies)	Insoluble in water.	
Relative density	0.88 @ 15°C	
Flash point	>200°C PMCC (Pensky-Martens closed cup).	
Melting point	200°C	
Odour	Odourless.	
Colour	Amber. to Brown.	
••		

10.1. Reactivity

Revision: 1

K42EP

10.2. Chemical stability

 Stability
 Stable at normal ambient temperatures and when used as recommended.

 10.3. Possibility of hazardous reactions

 10.4. Conditions to avoid

Conditions to avoid Avoid heat, flames and other sources of ignition.

10.5. Incompatible materials

Materials to avoid Strong oxidising agents.

10.6. Hazardous decomposition products

Hazardous decomposition Oxides of carbon.

products

SECTION 11: Toxicological information

11.1. Information on toxicological effects

General information	This product has low toxicity. Only large quantities are likely to have adverse effects on human health.
Inhalation	Unlikely to be hazardous by inhalation because of the low vapour pressure of the product at ambient temperature.
Ingestion	No harmful effects expected from quantities likely to be ingested by accident.
Skin contact	Skin irritation should not occur when used as recommended. Repeated exposure may cause skin dryness or cracking.
Eye contact	May cause temporary eye irritation.

SECTION 12: Ecological Information

12.1. Toxicity

12.2. Persistence and degradability

Persistence and degradability The product is not readily biodegradable.

12.3. Bioaccumulative potential

 Bioaccumulative potential
 Bioaccumulation is unlikely to be significant because of the low water-solubility of this product.

 12.4. Mobility in soil

Mobility

The product is non-volatile. The product contains substances which are insoluble in water and which sediment in water systems.

12.5. Results of PBT and vPvB assessment

12.6. Other adverse effects

SECTION 13: Disposal considerations	
13.1. Waste treatment methods	

General information	Waste should be treated as controlled waste. Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority.
Disposal methods	Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority.
Waste class	European Waste Catalogue (EWC) Code: 20 01 26* (greases)

K42EP

SECTION 14: Transport information	
General	The product is not covered by international regulations on the transport of dangerous goods (IMDG, IATA, ADR/RID).
14.1. UN number	
14.2. UN proper shipping n	name
14.3. Transport hazard clas	ss(es)
14.4. Packing group	
14.5. Environmental hazards	
14.6. Special precautions for user	
14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	
SECTION 15: Regulatory information	
15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture	
National regulations	Health and Safety at Work etc. Act 1974 (as amended). The Chemicals (Hazard Information and Packaging for Supply) Regulations 2009 (SI 2009 No. 716).
EU legislation	Dangerous Preparations Directive 1999/45/EC. Dangerous Substances Directive 67/548/EEC.
Guidance	Workplace Exposure Limits EH40. Safety Data Sheets for Substances and Preparations.
15.2. Chemical safety assessment	
SECTION 16: Other inform	nation

Revision comments	NOTE: Lines within the margin indicate significant changes from the previous revision.
Revision date	10/11/2015
Revision	1
SDS number	21808
Hazard statements in full	H315 Causes skin irritation. H319 Causes serious eye irritation. H411 Toxic to aquatic life with long lasting effects.

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.