



SAFETY DATA SHEET
FIXT CLEAR INSTANT GASKET

Page: 1
Compilation date: 14/11/2011
Revision No: 1

Section 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name: FIXT CLEAR INSTANT GASKET
Product code: FX085525/6

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of substance / mixture: Sealant and adhesive.

1.3. Details of the supplier of the safety data sheet

Contact details: Seymour Road
Nuneaton
Warwickshire
CV11 4LB

TELEPHONE +44 (0)24 76 322126
FACSIMILE +44 (0)24 76 322117
E MAIL info@fixtconsumables.com

1.4. Emergency telephone number

Emergency tel: 02476 322196

Section 2: Hazards identification

2.1. Classification of the substance or mixture

Classification under CHIP: This product has no classification under CHIP.

2.2. Label elements

Label elements under CHIP:

Hazard symbols: No significant hazard.

2.3. Other hazards

PBT: This substance is not identified as a PBT substance.

Section 3: Composition/information on ingredients

3.2. Mixtures

SAFETY DATA SHEET
FIXT CLEAR INSTANT GASKET

Page: 2

Hazardous ingredients:

TRIACETOXY(ETHYL)SILANE

EINECS	CAS	CHIP Classification	CLP Classification	Percent
241-677-4	17689-77-9	Xn: R22; C: R34; -: R14	-	<5%

METHYLTRIACETOXYSILANE

-	4253-34-3	C: R34; Xn: R22; -: R14	-	<5%
---	-----------	-------------------------	---	-----

Non-hazardous ingredients:

DISTILLATES (PETROLEUM), HYDROTREATED MIDDLE

EINECS	CAS	CHIP Classification	CLP Classification	Percent
265-148-2	64742-46-7	Xn: R65	-	5-10%

Section 4: First aid measures

4.1. Description of first aid measures

Skin contact: Wash immediately with plenty of soap and water.

Eye contact: Bathe the eye with running water for 15 minutes.

Ingestion: Wash out mouth with water. Consult a doctor.

Inhalation: No special action required. Ensure patient has a good supply of fresh air.

4.2. Most important symptoms and effects, both acute and delayed

Skin contact: There may be mild irritation at the site of contact.

Eye contact: There may be irritation and redness.

Ingestion: There may be irritation of the throat.

Inhalation: There may be irritation of the throat with a feeling of tightness in the chest.

4.3. Indication of any immediate medical attention and special treatment needed

Immediate / special treatment: Not applicable.

Section 5: Fire-fighting measures

5.1. Extinguishing media

Extinguishing media: Dry chemical powder. Foam. Water spray. Carbon dioxide.

5.2. Special hazards arising from the substance or mixture

Exposure hazards: In combustion emits toxic fumes of carbon dioxide / carbon monoxide. In combustion emits silicone oxides In combustion releases toxic fumes of formaldehyde

5.3. Advice for fire-fighters

Advice for fire-fighters: Wear self-contained breathing apparatus. Wear protective clothing to prevent contact with skin and eyes. Cool fire-exposed containers with water.

[cont...]

SAFETY DATA SHEET
FIXT CLEAR INSTANT GASKET

Section 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions: Refer to section 8 of SDS for personal protection details. Avoid skin and eye contact.

6.2. Environmental precautions

Environmental precautions: Do not discharge into drains or rivers.

6.3. Methods and material for containment and cleaning up

Clean-up procedures: Transfer to a closable, labelled salvage container for disposal by an appropriate method. Final cleaning may require use of steam, solvents or detergents. dispose of saturated absorbent cleaning materials appropriately, as spontaneous heating may occur.

6.4. Reference to other sections

Reference to other sections: Refer to section 8 of SDS.

Section 7: Handling and storage

7.1. Precautions for safe handling

Handling requirements: Avoid the formation or spread of dust in the air. Ensure there is sufficient ventilation of the area. Product evolves acetic acid when exposed to water or humid air. Wear suitable respiratory protective device when decanting larger quantities without LEV. Wash thoroughly after handling.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions: Store in cool, well ventilated area. Keep container tightly closed. Store away from oxidizing agents. Store away from water or moisture.

Suitable packaging: Must only be kept in original packaging.

7.3. Specific end use(s)

Specific end use(s): No data available.

Section 8: Exposure controls/personal protection

8.1. Control parameters

Workplace exposure limits:

Respirable dust

State	8 hour TWA	15 min. STEL	8 hour TWA	15 min. STEL
UK	10 ppm	15ppm as acetic acid	-	-

8.2. Exposure controls

Engineering measures: Ensure there is sufficient ventilation of the area.

Respiratory protection: Respiratory protection not required.

Hand protection: Wear chemical resistance gloves such as rubber, neoprene or vinyl, and work clothing with full length sleeves.

SAFETY DATA SHEET
FIXT CLEAR INSTANT GASKET

Page: 4

Eye protection: Safety goggles. Ensure eye bath is to hand.

Skin protection: Protective clothing.

Section 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

State: Paste

Colour: Colourless

Odour: Acetic acid.

Solubility in water: Insoluble

Flash point°C: > 100

Relative density: 1.01

9.2. Other information

Other information: Not applicable.

Section 10: Stability and reactivity

10.1. Reactivity

Reactivity: Stable under recommended transport or storage conditions.

10.2. Chemical stability

Chemical stability: Stable under normal conditions.

10.3. Possibility of hazardous reactions

Hazardous reactions: Hazardous reactions will not occur under normal transport or storage conditions.
Decomposition may occur on exposure to conditions or materials listed below.

10.4. Conditions to avoid

10.5. Incompatible materials

Materials to avoid: Strong oxidising agents. Water, moisture or humid air can cause hazardous vapours to form.

10.6. Hazardous decomposition products

Haz. decomp. products: In combustion emits toxic fumes.

Section 11: Toxicological information

11.1. Information on toxicological effects

Toxicity values: Not applicable.

Symptoms / routes of exposure

Skin contact: There may be mild irritation at the site of contact.

Eye contact: There may be irritation and redness.

Ingestion: There may be irritation of the throat.

Inhalation: There may be irritation of the throat with a feeling of tightness in the chest.

[cont...]

SAFETY DATA SHEET
FIXT CLEAR INSTANT GASKET

Page: 5

Section 12: Ecological information

12.1. Toxicity

Ecotoxicity values: Not applicable.

12.2. Persistence and degradability

Persistence and degradability: Biodegradable.

12.3. Bioaccumulative potential

Bioaccumulative potential: No bioaccumulation potential.

12.4. Mobility in soil

Mobility: Insoluble in water.

12.5. Results of PBT and vPvB assessment

PBT identification: This substance is not identified as a PBT substance.

12.6. Other adverse effects

Other adverse effects: Negligible ecotoxicity.

Section 13: Disposal considerations

13.1. Waste treatment methods

Disposal operations: Transfer to a suitable container and arrange for collection by specialised disposal company.

Disposal of packaging: Arrange for collection by specialised disposal company.

NB: The user's attention is drawn to the possible existence of regional or national regulations regarding disposal.

Section 14: Transport information

Transport class: This product does not require a classification for transport.

Section 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.2. Chemical Safety Assessment

Chemical safety assessment: A chemical safety assessment has not been carried out for the substance or the mixture by the supplier.

Section 16: Other information

Other information

Other information: This safety data sheet is prepared in accordance with Commission Regulation (EU) No 453/2010.

* indicates text in the SDS which has changed since the last revision.

Phrases used in s.2 and 3: R14: Reacts violently with water.

[cont...]

SAFETY DATA SHEET
FIXT CLEAR INSTANT GASKET

Page: 6

R22: Harmful if swallowed.

R34: Causes burns.

R65: Harmful: may cause lung damage if swallowed.

Legal disclaimer: The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. This company shall not be held liable for any damage resulting from handling or from contact with the above product.