

# Safety Data Sheet according to (EC) No 1907/2006

Page 1 of 10

sds no.: 346906 V004.0

Revision: 18.07.2011

printing date: 01.05.2012

Loctite 270 24ml En

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### **Product identifier:**

Loctite 270 24ml En

#### Relevant identified uses of the substance or mixture and uses advised against:

Intended use: Adhesive

## Details of the supplier of the safety data sheet:

Henkel Limited

2 Bishop Square Business Park AL109EY Herfordshire Hatfield

Great Britain

Phone: +44 1606 593933 +44 1606 863762 Fax-no.:

ua-productsafety.uk@uk.henkel.com

#### **Emergency Telephone Number:**

24 Hours Emergency Tel: +44 (0)1442 278497

### **SECTION 2: Hazards identification**

### Classification of the substance or mixture:

## Classification (DPD):

Sensitizing

R43 May cause sensitisation by skin contact.

R36/37/38 Irritating to eyes, respiratory system and skin.

MSDS-No.: 346906 Loctite 270 24ml En Page 2 of 10

V004.0

## Label elements (DPD):

### Xi - Irritant



### Risk phrases:

R36/37/38 Irritating to eyes, respiratory system and skin. R43 May cause sensitisation by skin contact.

### Safety phrases:

S23 Do not breathe vapour.

S24/25 Avoid contact with skin and eyes.
S26 In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

S37 Wear suitable gloves.

### Additional labeling:

For consumer use only: S2 Keep out of the reach of children

S46 If swallowed, seek medical advice immediately and show this container or label.

#### Contains:

Maleic acid

### Other hazards:

None if used properly.

## **SECTION 3: Composition/information on ingredients**

### General chemical description:

Anaerobic adhesive

MSDS-No.: 346906 Loctite 270 24ml En Page 3 of 10

V004.0

### Declaration of the ingredients according to CLP (EC) No 1272/2008:

| Hazardous components<br>CAS-No.        | EC Number<br>REACH-Reg No. | content       | Classification                                  |
|--|----------------------------|---------------|---|
| 3,3,5 Trimethylcyclohexyl methacrylate | 231-927-0                  | > 20-< 40 %   | Serious eye irritation 2                        |
| 7779-31-9                              |                            |               | H319<br>Specific target organ toxicity - single |
|  |                            |               | exposure 3                                      |
|  |                            |               | H335  |
|  |                            |               | Skin irritation 2                               |
|  |                            |               | H315  |
| Cumene hydroperoxide<br>80-15-9        | 201-254-7                  | > 1-< 2,5 %   | Acute toxicity 4; Dermal<br>H312                |
| 00 15 7                                |                            |               | Specific target organ toxicity - repeated       |
|  |                            |               | exposure 2                                      |
|  |                            |               | H373  |
|  |                            |               | Acute toxicity 3; Inhalation<br>H331            |
|  |                            |               | Acute toxicity 4; Oral                          |
|  |                            |               | H302  |
|  |                            |               | Organic peroxides E                             |
|  |                            |               | H242  |
|  |                            |               | Chronic hazards to the aquatic environment 2    |
|  |                            |               | H411  |
|  |                            |               | Skin corrosion 1B                               |
|  |                            |               | H314  |
| Maleic acid                            | 203-742-5                  | > 0,1-< 0,5 % | Acute toxicity 4; Oral                          |
| 110-16-7                               |                            |               | H302  |
|  |                            |               | Serious eye irritation 2<br>H319                |
|  |                            |               | Specific target organ toxicity - single         |
|  |                            |               | exposure 3                                      |
|  |                            |               | H335  |
|  |                            |               | Skin irritation 2                               |
|  |                            |               | H315  |
|  |                            |               | Skin sensitizer 1                               |
|  |                            |               | H317  |
| Cumene                                 | 202-704-5                  | > 0,1-< 0,5 % | Flammable liquids 3                             |
| 98-82-8                                |                            |               | H226  |
|  |                            |               | Aspiration hazard 1                             |
|  |                            |               | H304  |
|  |                            |               | Specific target organ toxicity - single         |
|  |                            |               | exposure 3                                      |
|  |                            |               | H335  |
|  |                            |               | Chronic hazards to the aquatic environment 2    |
|  |                            |               | H411  |

Only dangerous ingredients for which a CLP classification is already available are displayed in this table. For full text of the H - statements and other abbreviations see section 16 "Other information". Substances without classification may have community workplace exposure limits available.

## Declaration of ingredients according to DPD (EC) No 1999/45:

| Hazardous components<br>CAS-No.                        | EC Number<br>REACH-Reg No. | content        | Classification  |
|--|----------------------------|----------------|---|
| 3,3,5 Trimethylcyclohexyl<br>methacrylate<br>7779-31-9 | 231-927-0                  | > 20 - < 40 %  | Xi - Irritant; R36/37/38  |
| Cumene hydroperoxide<br>80-15-9                        | 201-254-7                  | > 1 -< 2,5 %   | T - Toxic; R23 Xn - Harmful; R21/22, R48/20/22 O - Oxidizing; R7 C - Corrosive; R34 N - Dangerous for the environment; R51, R53 |
| Maleic acid<br>110-16-7                                | 203-742-5                  | > 0,1 -< 0,5 % | Xn - Harmful; R22<br>Xi - Irritant; R36/37/38<br>R43  |
| Cumene<br>98-82-8                                      | 202-704-5                  | > 0,1 -< 0,5 % | R10<br>Xn - Harmful; R65<br>Xi - Irritant; R37<br>N - Dangerous for the environment; R51, R53                                   |

For full text of the R-Phrases indicated by codes see section 16 'Other Information'. Substances without classification may have community workplace exposure limits available.

MSDS-No.: 346906 Loctite 270 24ml En Page 4 of 10

V004.0

### **SECTION 4: First aid measures**

#### Description of first aid measures:

#### Inhalation:

Move to fresh air. If symptoms persist, seek medical advice.

#### Skin contact:

Rinse with running water and soap.

Seek medical advice.

#### Eve contact:

Rinse immediately with plenty of running water (for 10 minutes). Seek medical attention if necessary.

#### Ingestion

Rinse out mouth, drink 1-2 glasses of water, do not induce vomiting.

Seek medical advice.

#### Most important symptoms and effects, both acute and delayed:

EYE: Irritation, conjunctivitis.

RESPIRATORY: Irritation, coughing, shortness of breath, chest tightness.

SKIN: Redness, inflammation.

SKIN: Rash, Urticaria.

#### Indication of any immediate medical attention and special treatment needed:

See section: Description of first aid measures

## **SECTION 5: Firefighting measures**

#### **Extinguishing media:**

#### Suitable extinguishing media:

Carbon dioxide, foam, powder

Fine water spray

### Extinguishing media which must not be used for safety reasons:

None known

### Special hazards arising from the substance or mixture:

In the event of a fire, carbon monoxide (CO) and carbon dioxide (CO2) can be released.

In case of fire, keep containers cool with water spray.

#### Advice for firefighters:

Wear self-contained breathing apparatus and full protective clothing, such as turn-out gear.

## **SECTION 6: Accidental release measures**

#### Personal precautions, protective equipment and emergency procedures:

Avoid skin and eye contact.

Ensure adequate ventilation.

### **Environmental precautions:**

Do not let product enter drains.

## Methods and material for containment and cleaning up:

For small spills wipe up with paper towel and place in container for disposal.

For large spills absorb onto inert absorbent material and place in sealed container for disposal.

### Reference to other sections:

See advice in chapter 8

MSDS-No.: 346906 Loctite 270 24ml En Page 5 of 10

V004.0

### **SECTION 7: Handling and storage**

### Precautions for safe handling:

Use only in well-ventilated areas.

Prolonged or repeated skin contact should be avoided to minimise any risk of sensitisation.

#### Hygiene measures:

Good industrial hygiene practices should be observed.

Do not eat, drink or smoke while working.

Wash hands before work breaks and after finishing work.

#### Conditions for safe storage, including any incompatibilities:

Ensure good ventilation/extraction.

Store in a cool, well-ventilated place.

#### **Specific end use(s):**

Adhesive

## **SECTION 8: Exposure controls/personal protection**

#### **Control parameters:**

Valid for

Great Britain

| Ingredient | edient ppm mg/m³ Type |     | Category              | Remarks                     |          |
|------------|-----------------------|-----|-----------------------|-----------------------------|----------|
| CUMENE     | 25                    | 125 | Time Weighted Average |                             | EH40 WEL |
| 98-82-8    |                       |     | (TWA):                |                             |          |
| CUMENE     | 50                    | 250 | Short Term Exposure   |                             | EH40 WEL |
| 98-82-8    |                       |     | Limit (STEL):         |                             |          |
| CUMENE     |                       |     | Skin designation:     | Can be absorbed through the | EH40 WEL |
| 98-82-8    |                       |     |                       | skin.                       |          |
| CUMENE     |                       |     | Skin designation:     | Can be absorbed through the | ECTLV    |
| 98-82-8    |                       |     |                       | skin.                       |          |
| CUMENE     | 50                    | 250 | Short Term Exposure   | Indicative                  | ECTLV    |
| 98-82-8    |                       |     | Limit (STEL):         |                             |          |
| CUMENE     | 20                    | 100 | Time Weighted Average | Indicative                  | ECTLV    |
| 98-82-8    |                       |     | (TWA):                |                             |          |

#### **Exposure controls:**

### Respiratory protection:

Use only in well-ventilated areas.

### Hand protection:

Chemical-resistant protective gloves (EN 374).

Suitable materials for short-term contact or splashes (recommended: at least protection index 2, corresponding to > 30 minutes permeation time as per EN 374):

nitrile rubber (NBR; >= 0.4 mm thickness)

Suitable materials for longer, direct contact (recommended: protection index 6, corresponding to > 480 minutes permeation time as per EN 374):

nitrile rubber (NBR; >= 0.4 mm thickness)

This information is based on literature references and on information provided by glove manufacturers, or is derived by analogy with similar substances. Please note that in practice the working life of chemical-resistant protective gloves may be considerably shorter than the permeation time determined in accordance with EN 374 as a result of the many influencing factors (e.g. temperature). If signs of wear and tear are noticed then the gloves should be replaced.

## Eye protection:

Wear protective glasses.

### Skin protection:

Wear suitable protective clothing.

MSDS-No.: 346906 Loctite 270 24ml En Page 6 of 10

V004.0

### **SECTION 9: Physical and chemical properties**

#### Information on basic physical and chemical properties:

Appearance liquid green
Odor characteristic

pН No data available / Not applicable Initial boiling point No data available / Not applicable Flash point No data available / Not applicable No data available / Not applicable Decomposition temperature Vapour pressure No data available / Not applicable Density No data available / Not applicable No data available / Not applicable Bulk density Viscosity No data available / Not applicable Viscosity (kinematic) No data available / Not applicable Explosive properties No data available / Not applicable Solubility (qualitative) No data available / Not applicable Solidification temperature No data available / Not applicable No data available / Not applicable Melting point No data available / Not applicable Flammability Auto-ignition temperature No data available / Not applicable Explosive limits No data available / Not applicable Partition coefficient: n-octanol/water No data available / Not applicable No data available / Not applicable Evaporation rate Vapor density No data available / Not applicable No data available / Not applicable Oxidising properties

#### Other information:

No data available / Not applicable

### **SECTION 10: Stability and reactivity**

## Reactivity:

Peroxides.

#### Chemical stability:

Stable under recommended storage conditions.

## Possibility of hazardous reactions:

See section reactivity

#### Conditions to avoid:

Stable under normal conditions of storage and use.

### **Incompatible materials:**

None if used properly.

#### Hazardous decomposition products:

carbon oxides.

### **SECTION 11: Toxicological information**

#### General toxicological information:

The preparation is classified based on the conventional method outlined in Article 6(1)(a) of Directive 1999/45/EC. Relevant available health/ecological information for the substances listed under Section 3 is provided in the following.

#### Oral toxicity:

May cause irritation to the digestive tract.

#### Inhalative toxicity:

Irritating to respiratory system

MSDS-No.: 346906 Loctite 270 24ml En Page 7 of 10

V004.0

#### Skin irritation:

Irritating to the skin.

#### Eye irritation:

Irritating to eyes.

#### Sensitizing:

May cause sensitization by skin contact.

### Acute toxicity:

| Hazardous components CAS-No. | Value<br>type | Value     | Route of application | Exposure time | Species | Method |
|------------------------------|---------------|-----------|----------------------|---------------|---------|--------|
| Cumene hydroperoxide         | LD50          | 550 mg/kg | oral                 |               | rat     |        |
| 80-15-9                      | LC50          | 220 ppm   | inhalation           | 4 h           | rat     |        |
|                              | LD50          | 500 mg/kg | dermal               |               | rat     |        |

#### Skin corrosion/irritation:

| Hazardous components CAS-No. | Result    | Exposure time | Species | Method |
|------------------------------|-----------|---------------|---------|--------|
| Cumene hydroperoxide         | corrosive |               | rabbit  |        |
| 80-15-9                      |           |               |         |        |

### Germ cell mutagenicity:

| Hazardous components CAS-No. | Result   | Type of study /<br>Route of<br>administration          | Metabolic<br>activation /<br>Exposure time | Species | Method  |
|------------------------------|----------|--|--|---------|---|
| Cumene hydroperoxide 80-15-9 | positive | bacterial reverse<br>mutation assay (e.g<br>Ames test) | without                                    |         | OECD Guideline 471<br>(Bacterial Reverse Mutation<br>Assay) |
| Cumene hydroperoxide 80-15-9 | negative | dermal   |  | mouse   |   |

## **SECTION 12: Ecological information**

### General ecological information:

Do not empty into drains / surface water / ground water.

The preparation is classified based on the conventional method outlined in Article 6(1)(a) of Directive 1999/45/EC. Relevant available health/ecological information for the substances listed under Section 3 is provided in the following.

## **Ecotoxicity:**

Do not empty into drains / surface water / ground water.

#### Mobility:

Cured adhesives are immobile.

Cured adhesives are immobile.

## $\label{lem:persistence} \textbf{Persistence and Biodegradability:}$

No data available.

MSDS-No.: 346906 Loctite 270 24ml En Page 8 of 10

V004.0

## **Toxicity:**

| Hazardous components<br>CAS-No. | Value<br>type | Value      | Acute<br>Toxicity | Exposure time | Species  | Method   |
|---------------------------------|---------------|------------|-------------------|---------------|--|--|
| CAS-110.                        | type          |            | Study             | time          |  |  |
| Cumene hydroperoxide<br>80-15-9 | LC50          | 3,9 mg/l   | Fish              | 96 h          | Oncorhynchus mykiss  | OECD Guideline<br>203 (Fish, Acute                                     |
| Cumene hydroperoxide 80-15-9    | EC50          | 18 mg/l    | Daphnia           | 48 h          | Daphnia magna  | Toxicity Test) OECD Guideline 202 (Daphnia sp. Acute                   |
| Cumene hydroperoxide<br>80-15-9 | ErC50         | 3,1 mg/l   | Algae             | 72 h          | Pseudokirchnerella subcapitata   | Immobilisation Test) OECD Guideline 201 (Alga, Growth Inhibition Test) |
| Maleic acid<br>110-16-7         | LC50          | > 245 mg/l | Fish              | 48 h          | Leuciscus idus   |  |
| Maleic acid<br>110-16-7         | EC50          | 245 mg/l   | Daphnia           | 24 h          | Daphnia magna  |  |
| Cumene<br>98-82-8               | LC50          | 4,8 mg/l   | Fish              | 96 h          | Oncorhynchus mykiss  | OECD Guideline<br>203 (Fish, Acute                                     |
| Cumene<br>98-82-8               | EC50          | 4 mg/l     | Daphnia           | 48 h          | Daphnia magna  | Toxicity Test) OECD Guideline 202 (Daphnia sp. Acute                   |
| Cumene<br>98-82-8               | EC50          | 2,6 mg/l   | Algae             | 72 h          | Selenastrum capricornutum<br>(new name: Pseudokirchnerella<br>subcapitata) | Immobilisation Test) OECD Guideline 201 (Alga, Growth Inhibition Test) |

## Persistence and degradability:

| Hazardous components<br>CAS-No. | Result                | Route of application | Degradability | Method   |
|---------------------------------|-----------------------|----------------------|---------------|--|
| Cumene hydroperoxide<br>80-15-9 |                       | аррисация            | 18 %          | OECD Guideline 301 E (Ready<br>biodegradability: Modified OECD<br>Screening Test)          |
| Maleic acid<br>110-16-7         | readily biodegradable | aerobic              | 87 - 88 %     | EU Method C.4-E (Determination<br>of the "Ready"<br>BiodegradabilityClosed Bottle<br>Test) |
| Cumene<br>98-82-8               |                       | aerobic              | 86 %          |  |

## ${\bf Bioaccumulative\ potential\ /\ Mobility\ in\ soil:}$

| Hazardous components<br>CAS-No. | LogKow | Bioconcentration<br>factor (BCF) | Exposure time | Species           | Temperature | Method   |
|---------------------------------|--------|----------------------------------|---------------|-------------------|-------------|--|
| Cumene hydroperoxide 80-15-9    |        | 9,1                              |               |                   |             | OECD Guideline 305<br>(Bioconcentration: Flow-<br>through Fish Test)                       |
| Cumene hydroperoxide 80-15-9    | 2,16   |                                  |               |                   |             |  |
| Maleic acid<br>110-16-7         | -0,48  |                                  |               |                   |             |  |
| Cumene<br>98-82-8<br>Cumene     | 3,55   | 35,5                             |               | Carassius auratus | 23 °C       | OECD Guideline 305<br>(Bioconcentration: Flow-<br>through Fish Test)<br>OECD Guideline 107 |
| 98-82-8                         |        |                                  |               |                   |             | (Partition Coefficient (n-<br>octanol / water), Shake<br>Flask Method)                     |

# **SECTION 13: Disposal considerations**

Waste treatment methods:

MSDS-No.: 346906 Loctite 270 24ml En Page 9 of 10

V004.0

#### Product disposal:

Dispose of in accordance with local and national regulations.

Contribution of this product to waste is very insignificant in comparison to article in which it is used

#### Disposal of uncleaned packages:

After use, tubes, cartons and bottles containing residual product should be disposed of as chemically contaminated waste in an authorised legal land fill site or incinerated.

Disposal must be made according to official regulations.

#### Waste code

08 04 09 waste adhesives and sealants containing organic solvents and other dangerous substances

## **SECTION 14: Transport information**

#### General information:

Not hazardous according to RID, ADR, ADNR, IMDG, IATA-DGR.

## **SECTION 15: Regulatory information**

Safety, health and environmental regulations/legislation specific for the substance or mixture:

VOC content (1999/13/EC) < 3 %

MSDS-No.: 346906 Loctite 270 24ml En Page 10 of 10

V004.0

## **SECTION 16: Other information**

The labelling of the product is indicated in Section 2. The full text

of all abbreviations indicated by codes in this safety data sheet are as follows:

R10 Flammable.

R21/22 Harmful in contact with skin and if swallowed.

R22 Harmful if swallowed.

R23 Toxic by inhalation.

R34 Causes burns.

R36/37/38 Irritating to eyes, respiratory system and skin.

R37 Irritating to respiratory system.

R43 May cause sensitisation by skin contact.

R48/20/22 Harmful: danger of serious damage to health by prolonged exposure through inhalation and if swallowed.

R51 Toxic to aquatic organisms.

R53 May cause long-term adverse effects in the aquatic environment.

R65 Harmful: may cause lung damage if swallowed.

R7 May cause fire.

H226 Flammable liquid and vapour.

H242 Heating may cause a fire.

H302 Harmful if swallowed.

H304 May be fatal if swallowed and enters airways.

H312 Harmful in contact with skin.

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H319 Causes serious eye irritation.

H331 Toxic if inhaled.

H335 May cause respiratory irritation.

H373 May cause damage to organs through prolonged or repeated exposure.

H411 Toxic to aquatic life with long lasting effects.

#### **Further information:**

This information is based on our current level of knowledge and relates to the product in the state in which it is delivered. It is intended to describe our products from the point of view of safety requirements and is not intended to guarantee any particular properties.

This safety data sheet was prepared in accordance with Council Directive 67/548/EEC and it's subsequent amendments, and Commission Directive 1999/45/EC.